

TREE SPECIES (SCIENTIFIC NAME)

Shorea sumatrana

AVERAGE LEAF SIZE (CM)

Width

INDONESIAN COMMON NAME

Tengkawang

DIPTEROCARPACEAE

ELEVATIONAL RANGE (M)

350-850м

COFFEE SYSTEM

REGENERATION

ROBUSTA

TREE FAMILY



COFFEE IMPACT

Unknown

CULTIVATION

PLANTED

10.5см × 5.5см

Length

COFFEE AGROFORESTRY INFORMATION

DIS	TRI	BUI	10	N



NATIVE TO Region: Asia Malaysia, Singapore, Thailand Indonesia: Java, Sumatra

TREE MANAGEMENT

Propagated by seed. Recommended to sow as soon as possible and to soak the seed for 12 hours prior to sowing. Sow in seedbeds and cover with a mixture of sand and soil (1:1 ratio) or with a thin layer of sawdust. Pot seedlings 5-6 cm tall (~2 weeks after germination) into individual 15 x 23cm containers with good drainage holes. Recommended to use a mixture of forest soil and sand (3:1 ratio) as the potting medium in order to introduce the appropriate mycorrhiza to the roots. Place seedlings in 50 - 60% sunlight and water twice daily. Harden seedlings off in full sunlight for one month before planting. Can be planted when 30 - 40cm tall

PREVALENCE

Unknown

COMMON IN COFFEE AGROFORESTRY

TREE BENEFITS AND USES

FARMER USES

1 23 📦

Fuelwood, Lumber, Product

The seed can be used in making soap, candles, polishes, and cosmetics. The wood is used for light construction, flooring, exterior joinery, musical instruments, boxes, and crates.

FARM SERVICES Unknown

BIODIVERSITY BENEFITS

Unknown

Last Updated: February 4, 2021

Image: http://specimens.kew.org/herbarium/K000700512 The Herbarium Catalogue, Royal Botanic Gardens, Kew. Published on the Internet http://www.kew.org/herbcat [accessed on 10 12 2020]'.