



TREE SPECIES (SCIENTIFIC NAME)

Flemingia macrophylla

ENGLISH COMMON NAME

Large leaf flemingia

INDONESIAN COMMON NAME

Hahapaan , Pok kepokan

TREE FAMILY

FABACEAE

AVERAGE LEAF SIZE (CM)

7-11cm × **3-6cm**
Length Width

DISTRIBUTION



NATIVE TO INDONESIA

ELEVATIONAL RANGE (M)

0-2000m

TREE HEIGHT

SHRUB (1-10M)



NATIVE TO

Region: Asia

SE Asia: Cambodia, Laos, Malaysia, Myanmar, Papua New Guinea, Philippines, Singapore, Thailand, Vietnam

Indonesia: Borneo, Java, Lesser Sunda Islands, New Guinea, Sulawesi, Sumatra

COFFEE AGROFORESTRY INFORMATION

COFFEE SYSTEM



COFFEE

COFFEE IMPACT



BENEFICIAL TO COFFEE

REGENERATION

Unknown

CULTIVATION



PLANTED

TREE MANAGEMENT

Propagated by seed. Scarification recommended before sowing to speed up and improve germination Pour a small amount of warm water (not boiling) on seeds and then soak them for 12 - 24 hours. Weed control required first 6 months. Mulching (at a rate of 3 t/ha) can effectively control weeds for ~3 months. Plants should not be cut at intervals less than 40 days but can be cut more frequently than every 3 months

PREVALENCE

Unknown

TREE BENEFITS AND USES

FARMER USES



Food, Medicinal

Leaves are sometimes eaten. The leaves reduce fever and are used for treating postpartum fever as well as paralysis and pain in the joints. A decoction of the leaves is used to bathe sores and swellings and the entire plant is given to relieve stomachache

FARM SERVICES



Coffee Shade, Windbreak, Soil Improvement, Erosion Control, Nitrogen Fixation, Weed Control

Soil improvement: provides mulch, moisture conservation, reduces soil temperature

BIODIVERSITY BENEFITS

Unknown

Last Updated: April 27, 2021

Image: Dipankar Borah © Digital Image © Board of Trustees, RBG Kew <http://creativecommons.org/licenses/by/3.0/>