



TREE SPECIES (SCIENTIFIC NAME)

Citrus hystrix

ENGLISH COMMON NAME

Kaffir Lime

INDONESIAN COMMON NAME

Jeruk Purut

TREE FAMILY

RUTACEAE

AVERAGE LEAF SIZE (CM)

9cm × **4cm**
Length Width

DISTRIBUTION

NATIVE TO INDONESIA

ELEVATIONAL RANGE (M)

0-1500m

TREE HEIGHT

SMALL (10-20M)



NATIVE TO

Region: Asia

SE Asia: Cambodia, Malaysia, Myanmar, Papua New Guinea, Philippines, Singapore, Thailand, Vietnam

Indonesia: Borneo, Java, Lesser Sunda Islands, Maluku Islands, New Guinea, Sulawesi, Sumatra

COFFEE AGROFORESTRY INFORMATION

COFFEE SYSTEM

ROBUSTA **ARABICA**

COFFEE IMPACT

MAY COMPETE WITH COFFEE

TREE MANAGEMENT

Attacked by Citrus Greening Citrus Vascular Phloem Disease (CPVD), especially at lower altitudes (<1000 masl). Less affected by CVPD at higher altitudes (>1000 masl). Able to withstand dry periods and poor soil

REGENERATION

REGENERATES NATURALLY

CULTIVATION

PLANTED

PREVALENCE

COMMON IN COFFEE AGROFORESTRY

TREE BENEFITS AND USES

FARMER USES

Food, Medicinal, Ceremonial

Used for magic. The juice of the fruit is used for seasoning and to prepare drinks. Leaves are used to season food. Used as an insecticide to kill land leeches via head and foot washing. Fruits can be sold at local markets.

FARM SERVICES

Unknown

BIODIVERSITY BENEFITS

Unknown

Last Updated: February 4, 2021

Image: Dr Henry Oakeley's RCP Medicinal Plants Digital Image © Board of Trustees, RBG Kew <http://creativecommons.org/licenses/by/3.0/>