



TREE SPECIES (SCIENTIFIC NAME)

Amburana cearensis

PERU COMMON NAME

Ishpingo

TREE FAMILY

FABACEAE

AVERAGE LEAF SIZE (CM)

Unknown

DISTRIBUTION

 **UNKNOWN**

ELEVATIONAL RANGE (M)

350–500M

TREE HEIGHT

MEDIUM (20–35M)



NATIVE TO

Region: Americas

Latin America: Argentina, Bolivia, Brazil, Paraguay, Peru

COFFEE AGROFORESTRY INFORMATION

COFFEE SYSTEM

 **ARABICA**

COFFEE IMPACT

Unknown

TREE MANAGEMENT

Plant the seeds in partial shade. An 80% germination rate can be expected for fresh seeds, with seeds sprouting within 15 to 25 days. Seedlings may grow slowly.

CULTIVATION

 **PLANTED**

PREVALENCE

Unknown

TREE BENEFITS AND USES

FARMER USES



Lumber, Medicinal, Product

It is commonly harvested from the wild for its attractive wood, which is used for luxury furniture, decorative veneer, construction, carving, joinery and to make boxes. Tree resin oil is used in the treatment of colds, coughs, bronchitis, asthma, and lung diseases. The seeds are used to treat asthma, relieve spasms, support cardiac function, and to stimulate menstrual flow. The seeds are used as perfume and the seeds soaked in water are used to kill mosquito larvae.

FARM SERVICES

Unknown

BIODIVERSITY BENEFITS

No

Last Updated: August 22, 2023

Image: Herbarium Catalogue Specimens Digital Image © Board of Trustees, RBG Kew <http://creativecommons.org/licenses/by/3.0/>

Jezeer, Rosalien. (2018). PhD dissertation: Shedding Light on Shade- Reconciling Livelihoods and Biodiversity in Coffee Agroforests. 10.13140/RG.2.2.28895.71844.;

Mendoza, A. L. M., & Guerrero, M. H. (2010). Catálogo de los árboles y afines de la Selva Central del Perú. Amaltoa, 17, 203-242.;

Tropical Plants Database, Ken Fern. tropical.theferns.info. 2022-09-30. tropical.theferns.info/viewtropical.php?id=Amburana+cearensis