

TREE SPECIES (SCIENTIFIC NAME)

Calycophyllum spruceanum Capirona

RUBIACEAE

ELEVATIONAL RANGE (M)

350-1000м

TREE FAMILY



Unknown

AVERAGE LEAF SIZE (CM)

NATIVE TO **Region:** Americas **Latin America:** Bolivia, Brazil, Colombia, Ecuador, Peru

NATIVE TO PERU

DISTRIBUTION

COFFEE AGROFORESTRY INFORMATION

COFFEE SYSTEM

ARABICA

COFFEE IMPACT Unknown

CULTIVATION

↓ PLANTED
✓ NATURAL

TREE MANAGEMENT

Seeds are best planted as soon as they are ripe in a partially shaded position in a nursery seedbed. The seed is very small, so it should only be slightly covered with soil. Placing a cloth on the ground will help prevent the seed from being washed away when watering. A low germination rate can be expected, with the seed sprouting within 20 to 40 days, at which point the cloth should be removed. Seeds are best planted as soon as they are ripe in a partially shaded position in a nursery seedbed. The seed is very small, so it should only be slightly covered with soil. Placing a cloth on the ground will help prevent the seed from being washed away when watering.

PREVALENCE

Unknown

TREE BENEFITS AND USES

FARMER USES

🔏 🗳

Lumber, Ornamental

It is durable and resistant to insect attacks. It is used for construction, joinery, frames, tool handles and plywood. Can be used in landscaping, particularly for planting along avenues.

FARM SERVICES

Unknown

BIODIVERSITY BENEFITS

No

Last Updated: August 14, 2023

Image: Herbarium Catalogue Specimens Digital Image © Board of Trustees, RBG Kew http://creativecommons.org/licenses/by/3.0/

Jezeer, Rosalien. (2018). PhD dissertation: Shedding Light on Shade- Reconciling Livelihoods and Biodiversity in Coffee Agroforests. 10.13140/RG.2.2.28895.71844.;

Mendoza, A. L. M., & Guerrero, M. H. (2010). Catálogo de los árboles y afines de la Selva Central del Perú. Arnaldoa, 17, 203-242.;

Tropical Plants Database, Ken Fern. tropical.theferns.info. 2022-10-05. tropical.theferns.info/viewtropical.php?id=Calycophyllum+spruceanum