

TREE SPECIES (SCIENTIFIC NAME)

Albizia chinensis

ENGLISH COMMON NAME

The Sau Tree

INDONESIAN COMMON NAME

Sengon

TREE FAMILY

FABACEAE

AVERAGE LEAF SIZE (CM)

0.8cm × 0.225cm

Length Width

ELEVATIONAL RANGE (M)

0-1800M

TREE HEIGHT

MEDIUM (20-35M)







DISTRIBUTION



NATIVE TO INDONESIA

NATIVE TO

Region: Asia

Cambodia, Laos, Myanmar, Papua New Guinea, Philippines, Thailand, Vietnam Indonesia: Borneo, Java, Lesser Sunda Islands, New Guinea, Sumatra

COFFEE AGROFORESTRY INFORMATION

COFFEE SYSTEM











REGENERATION

Unknown





PREVALENCE



COMMON IN COFFEE AGROFORESTRY

TREE BENEFITS AND USES

FARMER USES







Livestock Forage, Fuelwood, Lumber

The wood is used to make light furniture, tea chests, and veneers. The tree is used for shade, to restore soil nutrients as fertilizer, and as protection for coffee plants. The leaves are readily eaten by goats.


TREE MANAGEMENT

Propagated by seed. Seed dormancy can be broken by scarification or soaking seed in concentrated sulphuric acid for 10 minutes then washing and soaking in water for 18 hours. Transplant seedlings after 6-8 weeks. Space at 330/ha for shade. Plant the same year as the coffee seedlings. Weed until the plants reach a height of 1 m. Trees grown for shade can be allowed to grow ~7 m tall and then should be cut back to 4 m. Early growth can be promoted with a mixture of 60% lime, 30% superphosphate, and 10% urea mixed with the soil in each planting hole at time of planting. Tolerates frequent pruning. Trees can be harvested for fodder twice a year during the growing season by cutting the stem back to 1 m.

FARM SERVICES







Coffee shade: does not provide shade until fourth year

BIODIVERSITY BENEFITS



Used by Javan Ioris when moving through the canopy. Used as perching tree for macaques.

Last Updated: April 26, 2021

Image: Helen Hewitt, @ Digital Image @ Board of Trustees, RBG Kew http://creativecommons.org/licenses/by/3.0/